




# Saturn<sup>®</sup>

**ST-09CPH**



RU

!

“Saturn”.

,

.

•  
•  
•  
•  
•  
•  
•  
•  
•

14

•  
•  
•  
•  
•  
•  
•  
•  
•  
•

1

1


•  
•  
•  
•  
•

50

( )

•  
•  
•  
•  
•

1.	6.	11.	16.
2.	7.	12.	17.
3.	8.	13.	18.
4.	9.	14.	( )*
5.	10.	15.	( )*
			20.
			* -




!

,


•

.( .1).




•  
•  
•  
•  
•

( .2)




•

( .3).




( .4).




!

. ( .5).




(Ø134 )


. 6.




. 7, 8, 9.



В ОКОННОМ СТЕКЛЕ



В ДЕРЕВЯННОЙ ПАНЕЛИ  
ДВУХСТВОРЧАТОГО ОКНА



В СТЕНЕ: РЕКОМЕНДУЕТСЯ  
УПЛОТНИТЬ УЧАСТОК  
СТЕНЫ УПЛОТНИТЕЛЕМ

.6.


1 ) :

, . ( .1).

, :

!

, (



- 1.
- 2.
- 3.
- 4.
5. Smart
- 6.
- 7.
- 8.
9. « !»
- 10.
- 11.
12. Mode( )
- 13.
14. /
15. (▲)/ (▼)
- 16.
- 17.




FAN,



AUTOFAN:

24 27°




Mode

DRY( )



AUTO



27°),

HEAT.



(13-



( ) ( « »).

( « »).


\*



Smart

( )



Mode,





- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.
- 10.
- 11.
- 12.
- 13.
- 14.
- 15.
- 16.
- 17.
- 18.

Mode ( )





R03 "AAA" 1,5





RESET,



( « , , », Smart).



1. ( smart).
2. SLEEP( ).





 <p>( )</p>	
 <p>Probefailure ( ) ( )</p>	
 <p>Full tank ( )</p>	<p>».</p> <p>«</p>

- ( .22).
- (1 )
- ( .23).
- ;
- ( , )
- 
- 
- 



MIST,  
( « » )  
MIST (Heat).

“ Ft ” ( ) ( « »).

( .25-26)



- ( 3-4 ),
- 
- 
- Cool ( ), Dry( ) Heat ( ).



( .27-28).

(HEAT)

- - 
  -
- (HEAT).





/ ),



:

- 1.
- 2.
- 3.
- 4.

( .29).

40°

( .26).



3		
LEIPFLE		

/

Saturn.


18-35°

10-25°

: 3 .

: IPX0

:  
463 .  
775 .  
382 .  
.



1  
1  
1  
1



c  
,

. .  
!  
: