



:

**ST-07L2**  
**ST-09L2**



!

“ST”.

)

1,5

1,5


.....	3
.....	6
.....	10
.....	12
.....	15


:

!

4600 (17000 / )

).










80%)

2,5


4600 (17000 / )

3






	24°C		
	24°C		



1. ( )
2. ( )



1. ( )
2. ( )
3. ( )



1. ( )
2. ( )
3. ( )










2






1



- 1.
- 2.
- 3.
- 4.
- 5.

( 45°C )

( )

		? ?
		? ?
		3
		
		? ? ? ?
		
		

		10
		10
		
		
3		



		ST-07L2	ST-09L2	ST-12L2
		220-240		50
	( )	2000	2500	3200
	( )	2000	2600	3350
( )		780	980	1300
		670	920	1250
	-	---	---	---
( )		3,5	4,5	5,9
		3,1	4,2	5,7
	-	---	---	---
( / )		320	420	500
( / )		0,7	0,8	1,2
		I 20( ) I 24( )		
		<b>I</b>		
		1		
		R22 ( )		
		480	540	750
( )		32	38	40
		49	49	50
( )		10	10	10
		26	26	30
/ / ( )		290x800x196	290x800x196	290x800x196
		500x665x295	500x665x295	552x745x328

1.

2.

		27°C ( )	19°C ( )		35°C ( )	24°C ( )
		20°C ( )	15°C ( )		7°C ( )	6°C ( )

\* — ; —

3.

4.

/ (°C)	32/23	21/15	27/ --	20/ --
/ (°C)	43/26	21/15	24/18	-5/-6

5. ( )

6.

